



DRIFIRE FR LIGHTWEIGHT SHORT SLEEVE T-SHIRT



- LIGHTWEIGHT AND BREATHABLE FABRIC
- UNSURPASSED MOISTURE
 WICKING AND DRYING RATE
- ODOR-CONTROL TECHNOLOGY
- SOFT FABRIC PREVENTS
 CHAFING WHILE
 MAXIMIZING COMFORT
- COLORS: NAVY (NB) AND DESERT SAND (DS)
- OTHER STYLES:

 DF2-CM-446LS LONG SLEEVE
 DF2-446LP LONG JOHN
 DF2-446BB BOXER BRIEF



DF2-CM-446TS

ARC RATING: 4.5 CAL/CM² | CAT 1 MATERIAL: 5.4 OZ. DRIFIRE® LIGHTWEIGHT KNIT COMPLIANCE: NFPA 70E, CSA 7462 ASTM F1506. OSHA 1910.269

OTHER BASE LAYERS OPTIONS DRIFIRE FR CONTROL

C52_KSR SHORT SLEEVE
C52_KSRLS LONG SLEEVE
U52_KSR LONG PANT
COLORS: NAVY (FK) AND DESERT SAND (JK)

DRIFIRE PRIME

DF2-CM-762-__-RG LS - LONG SLEEVE TS SHORT SLEEVE LP LONG PANT



DRIFIRE STRONGKNIT FR HI-VIS T-SHIRT

- LIGHTWEIGHT AND BREATHABLE FABRIC FEATURING PIMA COTTON
- HIGH-PERFORMANCE MOISTURE MANAGEMENT FOR MAXIMUM COMFORT
- **-ODOR-CONTROL TECHNOLOGY**
- DRIES 2-3X FASTER THAN TRADITIONAL COTTON
- •LEFT FRONT CHEST POCKET
- FR 3M™ SCOTCHLITE™
 REFLECTIVE COMFORT TRIM

FEATURED TECHNOLOGY



Scotchlite[™] Reflective Material



DF2-AX3-793LSP-HY

ARC RATING: 10 CAL/CM² | CAT 2

MATERIAL: 7.3 OZ. DRIFIRE® STRONGKNIT™

ANSI/ISEA 107 TYPE R CLASS 3

COMPLIANCE: NFPA 70E, NFPA 70E, CSA Z462,

ASTM F1506, OSHA 1910.269

OTHER HI-VIS KNIT SHIRT OPTIONS:

TEE-HXC3

DRIFIRE HELIX FR HI-VIS LONG SLEEVE T-SHIRT CLASS 3

TEEY2LSPC3

DRIFIRE FR HI-VIS DUAL HAZARD LONG SLEEVE T-SHIRT CLASS 3

TEEY2LSHC301

DRIFIRE FR HI-VIS LONG SLEEVE HYBRID T-SHIRT CLASS 3

COMFORT MEETS COMPLIANCE WITH DRIFIRE® FEATURING 3M™ SCOTCHLITE™ REFLECTIVE MATERIAL

123 road side 'deaths per year STAY SAFE WITH 360° visibility



CLASS 2
REFLECTIVE TRIM ON TORSO AND ARMS

OR SHOULDERS

TYPE R CLASS 2
775 IN 201 IN

TYPE R CLASS 3
1240 IN 310 IN

SUPP. CLASS E
465 IN 109 IN

MINIMUM
BACKGROUND

MINIMUM
REFLECTIVE



How 3M™ Scotchlite™ Reflective Material – Series 5500 Comfort Trim Helps Keep You Cool




AND REFLECTIVE TRIM

S REQUIRED

TRIM

MATERIAL

FOR ADDITIONAL HI-VIS GEAR SEE PAGES 4, 10, 14, 17, 18 AND 22 OR VISIT WWW.THINKNSA.COM/HI-VIS









DRIFIRE HELIX FR T-SHIRT

- THE LIGHTEST WEIGHT 12 CAL PROTECTION
- HIGH-STRETCH SOFT FABRIC OFFERS ADDITIONAL COMFORT
- MODERN ATHLETIC STYLE WITH RAGLAN SLEEVE FOR INCREASED MOBILITY
- ATHLETIC CUT MAKES COMFORTABLE UNISEX FIT
- **-LEFT FRONT CHEST POCKET**
- COLORS: NAVY (N), GREY (G) AND KHAKI (K)



TEE-HX

ARC RATING: 12 CAL/CM² | CAT 2 MATERIAL: 6.5 OZ. DRIFIRE HELIX KNIT PATENT NO. 8973164 FOR FIBER BLEND COMPLIANCE: NFPA 70E, NFPA 2112, CSA Z462, ASTM F1506, OSHA 1910.269

OTHER KNIT SHIRT OPTIONS: TEE-HX -HN

DRIFIRE HELIX FR LONG SLEEVE HENLEY

TEE-PD -HN

DRIFIRE POWER DRY FR LONG SLEEVE HENLEY

TEE-PD

DRIFIRE POWER DRY FR LONG SLEEVE T-SHIRT

MOISTURE-WICKING TECHNOLOGY








EXCESS MOISTURE
NEAR THE SKIN CAN INCREASE
BURNS IN THE
EVENT OF AN
ARC FLASH



FIBERS LIKE

NYLON, MODACRYLIC, ARAMID, POLYESTER, ACRYLIC



HYDROPHOBIC FIBERS


HYDROPHOBIC
HYDROPHILIC
BLENDS DRY
2-3X
FASTER

PUSH MOISTURE OUTWARD FOR

VAPORATION

FIBERS LIKE

COTTON, WOOL, RAYON, BAMBOO, LYOCELL



HYDROPHILIC FIBERS





DRIFIRE TECGEN FR WORK SHIRT

- FEATURES OPF, THE LATEST CARBON FABRIC TECHNOLOGY
- UNSURPASSED MOISTURE
 WICKING AND DRYING RATE
- SUPERIOR ABRASION RESISTANCE
- LIGHTWEIGHT AND BREATHABLE FABRIC
- COLORS: TAN (12), ROYAL BLUE (12), GREY (15), NAVY (16) AND LIGHT BLUE (19)

TCG011__02

ARC RATING: 8 CAL/CM2 | CAT 2
MATERIAL: 5.5 OZ. TECGEN SELECT® OPF BLEND TWILL
PATENT NO.:14/839155 FOR FIBER TECHNOLOGY
COMPLIANCE: NFPA 70E. NFPA 2112.

CSA Z462, ASTM F1506, OSHA 1910.269 OTHER WORK SHIRT OPTIONS

DF2-CM-450C-LS-NB DRIFIRE 4.4 FR WORK SHIRT

SHR-HXK

DRIFIRE 4.4 RIPSTOP FR WORK SHIRT

SHR-DH

DRIFIRE DH AIR FR WORK SHIRT COLORS: NAVY (N), GREY (G) AND KHAKI (K)

WHAT IS OPF - THE LATEST CARBON FABRIC TECHNOLOGY



OXIDIZED POLYACRYLONITRILE FIBERS (OPF) IS THE PRECURSOR TO CARBON FIBER FOUND IN JETS AND FORMULA 1 CARS!


ENGINEERED FOR OPTIMAL PERFORMANCE

35% RAYON, 27% MODACRYLIC, 21% OPF, 15% ARAMID, 2% NYLON



ENGINEERED FOR COMFORT

FROM SATURATED TO DRY IN LESS THAN 1 HOUR!





DRIFIRE FR PREMIUM HI-VIS VENTED SHIRT

- PATENTED VENT DESIGN FOR INDUSTRY-LEADING COMFORT
- LIGHTWEIGHT AND BREATHABLE FABRIC
- MOISTURE-WICKING TECHNOLOGY
- FR 3M™ SCOTCHLITE™ REFLECTIVE COMFORT TRIM
- ALSO AVAILABLE IN STANDARD COLORS SHRASTGV KHAKI SHRUSTGV GREY SHRASTGV MEDIUM BLUE

FEATURED TECHNOLOGY







SHRTVTGVC3

ARC RATING: 8.9 CAL/CM² | CAT 2 ANSI/ISEA TYPE 107 TYPE R CLASS MATERIAL: 6.5 OZ. WESTEX® DH COMPLIANCE: NFPA 70E, NFPA2112 ASTM F1506, CSA Z462, OSHA 1910.269

OTHER WORK SHIRT OPTIONS


DRIFIRE FR HI-VIS WORK SHIRT CLASS 3

SHRTV3C3YN


DRIFIRE FR HYBRID WORK SHIRT CLASS 3

VENT SHIRT TECHNOLOGY - PATENT NO.: US 7578005

heat-related injuries & illness³ cost an average of \$33,000/ incident




HEAT NATURALLY RISES,
MAKING CONVENTIONAL
CAPE-STYLE VENTS FALL
SHORT OF OPTIMAL AIR FLOW



OUR PATENTED VENT DESIGN ACTIVELY PUMPS HOT AIR OUT AND ALLOWS COOL AIR IN WHILE YOU WORK











DRIFIRE FR DUNGAREE

- •GENEROUS FIT IN SEAT AND THIGHS
- 8 POCKETS AND 2 KNIFE STRAPS
- POCKETS HOLD 2 LARGER
 PHONES AND OTHER TOOLS
- RELAXED FIT WITH LARGER
 LEG OPENINGS TO FIT OVER
 WORK BOOTS
- COLORS: OLIVE GREEN (1) AND NAVY (2)

FEATURED TECHNOLOGY

Westex
UltraSoft®

PNTB SD

ARC RATING: 11 CAL/CM² | CAT 2 MATERIAL: 8.5 OZ. WESTEX® ULTRASOFT® BASKETWEAVE COMPLIANCE: NFPA 70E, NFPA 2112, CSA Z462, ASTM F1506, OSHA 1910.269

OTHER WORK PANT OPTIONS

DRIFIRE FR UTILITY PANT

PNT-FFK

DRIFIRE FR FREEDOM FLEX WORK PANT (coming soon)



DRIFIRE FR TAPROOM JEAN

- ENHANCED STRETCH FOR ADDED COMFORT
- LARGER LEG OPENING SIZED TO FIT OVER WORK BOOTS
- STYLISH WASH AND CONTRAST STITCHING
- UTILITY POCKETS BUILT FOR LARGER PHONES AND TOOLS
- CONVENIENTLY PLACED KNIFE STRAP

PNTD6JTR

ARC RATING: 20 CAL/CM² | CAT 2 MATERIAL: 12 0Z. INHERENT FR STRETCH DENIM COMPLIANCE: NFPA 70E, NFPA 2112, CSA Z462, ASTM F1506, OSHA 1910.269

OTHER JEAN OPTIONS

DRIFIRE STRAIGHT LEG FR STRETCH JEAN (coming soon)

FEATURED WOMEN'S PRODUCTS



DRIFIRE PRIME WOMEN'S FR SPORTS BRA AND BOY SHORTS DF2-762-BS-DS | DF2-762-SB-DS

- **DRIES UP TO 3X FASTER THAN COTTON**
- **-4-WAY STRETCH FOR COMFORT**
- TAG-FREE ELASTIC BANDS MAXIMIZE COMFORT

ARC RATING: 4.9 CAL/CM² | CAT 1 MATERIAL: 6.5 OZ. DRIFIRE® PRIME COMPLIANCE: NFPA 70E, CSA Z462, ASTM F1506. OSHA 1910.269



DRIFIRE TECGEN WOMEN'S FR LONG SLEEVE HENLEY TEEIN HW

- FEATURES OPF, THE LATEST CARBON FABRIC TECHNOLOGY
- INHERENT MOISTURE-WICKING TECHNOLOGY
- SOFT FR FABRIC FOR ULTIMATE COMFORT
- -COLORS: NAVY (N) AND TAN (T)

ARC RATING: 13 CAL/CM2 | CAT 2
MATERIAL: 6.2 OZ. TECGEN CC™ OPF BLEND KNIT
COMPLIANCE: NFPA 70E, NFPA 2112,
CSA Z462. ASTM F1506. OSHA 1910.269



MADE IN THE USA

DRIFIRE WOMEN'S FR HI-VIS LONG SLEEVE T-SHIRT TEEY2LSC3W

- **-LIGHTWEIGHT AND BREATHABLE FABRIC**
- MOISTURE WICKING TO KEEP YOU DRIER
- FR 3MTM SCOTCHLITETM
 REFLECTIVE COMFORT TRIM

ARC RATING: 11 CAL/CM² | CAT 2 ANSI/ISEA 107 TYPE R CLASS 3 MATERIAL: 6.25 OZ. DUAL HAZARD KNIT COMPLIANCE: NFPA 70E, NFPA 2112, CSA 7462. ASTM F1506. OSHA 1910.269

MADE BY WOMEN FOR WOMEN



DRIFIRE 4.4 RIPSTOP WOMEN'S FR WORK SHIRT

SHR-HXKW

- •LIGHTEST WEIGHT CAT 2 WORK SHIRT AVAILABLE
- WICKS AND DRIES 3X FASTER
- SUPERIOR COLORFASTNESS AND DURABILITY
- MANDARIN COLLAR FOR FEMININE FIT

ARC RATING: 8 CAL/CM² | CAT 2 MATERIAL: 4.4 OZ. DRIFIRE® 4.4 RIPSTOP COMPLIANCE: NFPA 70E, NFPA 2112, CSA 7462. ASTM F1506. OSHA 1910. 269



DRIFIRE POWER GRID WOMEN'S FR 1/4
ZIP FLEECE

SWSFWMZW

- **-SUPERIOR BREATHABILITY**
- HIGH-PERFORMANCE MOISTURE WICKING
- 4-WAY STRETCH FOR COMFORT AND FLEXIBILITY
- COVERED DIELECTRIC 1/4 ZIP FRONT CLOSURE

ARC RATING: 20 CAL/CM² | CAT 2 MATERIAL: 9.6 0Z. FR POLARTEC® POWER GRID™ COMPLIANCE: NFPA 70E, NFPA 2112, CSA Z462. ASTM F1506. OSHA 1910.269



MADE IN THE USA

DRIFIRE WOMEN'S FR

FLEECE-LINED VEST

- GORE-TEX PYRAD®PROVIDES SUPERIOR WATER AND WIND RESISTANCE
- RESISTS COLD CRACKING DURING LOW TEMPERATURE
- HAND WARMER POCKETS FOR WARMTH
- **EXTENDED TAIL OFFERS EXTRA COMFORT**

ARC RATING: 30 CAL/CM² | CAT 3 MATERIAL: SHELL 7 OZ. GORE-TEX® PYRAD® LINED WITH 14 OZ. MODACRYLIC BLEND FLEECE COMPLIANCE: NFPA 70E,CSA Z46, ASTM F1506. OSHA 1910.269



DRIFIRE FR HEAVYWEIGHT PULLOVER HOODIE

- DRAWSTRING HOOD FITS OVER STANDARD HARD HAT
- LARGE FRONT POCKETS FOR PHONES AND TOOLS
- RIB KNIT WAISTBAND AND CUFFS
 KEEP COLD OUT
- MADE WITH HYDROPHILIC AND HYDROPHOBIC FIBERS TO HELP YOU STAY DRY AND WARM
- COLORS: NAVY (12) AND CHARCOAL (3G)

SWS3G

ARC RATING: 23 CAL/CM2 | CAT 2 MATERIAL: 14 OZ. FR FLEECE COMPLIANCE: NFPA 70E, NFPA 2112, CSA Z462, ASTM F1506, OSHA 1910.269

OTHER HOODIE OPTIONS

SWS

DRIFIRE FR HEAVYWEIGHT PULLOVER SWEATSHIRT Colors: navy (12) and charcoal (36)

C21IB12

DRIFIRE FR TACOMA HEAVYWEIGHT ZIP FRONT SWEATSHIRT

SWS12ZW

DRIFIRE WOMEN'S FR HEAVYWEIGHT ZIP FRONT SWEATSHIRT



DRIFIRE FR HI-VIS HYBRID ZIP HOODIE

- CONTRASTING NAVY LOWER TORSO TO HIDE DIRT
- MADE WITH HYDROPHILIC AND HYDROPHOBIC FIBERS TO HELP YOU STAY DRY AND WARM
- DRAWSTRING HOOD FITS
 OVER STANDARD HARD HAT
- •LARGE FRONT POCKETS FOR PHONES AND TOOLS
- FR 3M™ SCOTCHLITE™
 REFLECTIVE COMFORT TRIM
- RIB KNIT WAISTBAND AND CUFFS KEEP COLD OUT

FEATURED TECHNOLOGY





SWSHEHZC3

ARC RATING: 19 CAL/CM² | CAT 2 MATERIAL: 10 OZ. MODACRYLIC BLEND FLEECE ANSI/ISEA 107 TYPE R CLASS 3 COMPLIANCE: NFPA 70E, NFPA 2112, CSA Z462 ASTM

F1506, OSHA 1910.269

OTHER HI-VIS HOODIE OPTIONS

SWSHEC3

DRIFIRE FR HI-VIS PULLOVER SWEATSHIRT- TYPE R CLASS 3

SWSHEZC3

DRIFIRE FR HI-VIS ZIP FRONT SWEATSHIRT- TYPE R CLASS 3



DRIFIRE HYDROLITE 2.0 FR RAIN JACKET CLASS 3

- FOUL WEATHER GEAR FOR ELECTRICAL UTILITIES
- LOW WATER PICKUP FABRIC STAYS LIGHTWEIGHT IN WET CONDITIONS
- BREATHABLE AND MOISTURE-WICKING TECHNOLOGY
- HAND WARMER POCKETS FOR ADDED COMFORT
- 100% WATERPROOF AND WINDPROOF
- FR 3M™ SCOTCHLITE™ REFLECTIVE COMFORT TRIM

FEATURED TECHNOLOGY







HYDRO2JACK

ARC RATING: 31 CAL/CM² | CAT 3 ANSI/ISEA TYPE R CLASS 3 & E MATERIAL: 8.3 OZ. GORE-TEX PYRAD ® COMPLIANCE: NFPA 70E, ASTM F2733, CSA Z462. ASTM F1891. OSHA 1910.269

OTHER RAIN WEAR OPTIONS HYDRO2BIB-YB

HYDROLITE 2.0 FR RAIN BIB CLASS E

HDYROFLASHJ

DRIFIRE HYDROFLASH HI-VIS FR RAIN JACKET CLASS 3

HYDROFLASHB

DRIFIRE HYDROFLASH HI-VIS FR RAIN BIB CLASS E

HYDROLITE FR™ 2.0 FEATURING GORE-TEX PYRAD® PRODUCT TECHNOLOGY

STAY DRY. STAY LIGHT. HYDROLITE.

HYDROLITE 2.0
IS DURABLY
WATERPROOF DURING
HOUR
GORE RAINTOWER TESTING



KEEPS MOISTURE OUT

PREVENTS WATER
ENTRY DURING SEVERE
STORMS AND THE
TOUGHEST CONDITIONS



LESS BULKY
LIGHTWEIGHT GARMENTS
YIELD HIGHER FREEDOM
OF MOVEMENT



BREATHABILITY TESTING WITH RET

R_{ET} IS THE MOST ADVANCED BREATHABILITY TEST AVAILABLE. HYDROLITE 2.0 PROVED OVER


40% MORE

BREATHABLE THAN COMPETITION











BLOCKS WIND

HOLDS BODY HEAT IN FOR ADDED WARMTH AGAINST WIND CHILL IN EXTREME WEATHER CONDITIONS




SWEAT ESCAPES
BREATHABLE MEMBRANE
LETS SWEAT ESCAPE.
KEEPING SKIN DRY EVEN

WHILE WORKING HARD

COMFORT MEETS COMPLIANCE

HYDROLITE 2.0
USING GORE-TEX
TECHNOLOGY PROTECTS
IN THE EVENT OF AN
ARC FLASH,
KEEPING THE WEARER
SAFE AND DRY.







- RESISTS COLD CRACKING IN LOW TEMPERATURES
- LIGHTWEIGHT, BREATHABLE,
 AND FAST-DRYING
- ZIPPERED SLEEVE POCKET FOR PHONES AND TOOLS
- HAND WARMER POCKETS AND INSET WRISTS FOR WARMTH AND COMFORT
- CHEST TAB FOR CLIP MICS
 AND MONITORS

FEATURED TECHNOLOGY





DF2-CM-1WWB-NB

ARC RATING: 37 CAL/CM²
MATERIAL: 8.7 OZ. GORE® PYRAD® FABRIC TECHNOLOGY
COMPLIANCE: NFPA 70E, CSA Z462,
ASTM F1506, OSHA 1910.269

OTHER COLD WEATHER OPTIONS DF2-CM-G2V-NB

DRFIRE IA FR FLEECE-LINED VEST

DF2-CM-G2VC2-HYDRIFIRE IA FR HI-VIS FLEECE-LINED VEST CLASS 2

DF2-CM-G2VW-NB
DRIFIRE IA WOMEN'S FR FLEECE-LINED VEST

DRIFIRE POWER GRID FLEECE FR BEANIE



- 4-WAY STRETCH FOR ULTIMATE COMFORT
- GRID FABRIC TECHNOLOGY ALLOWS SUPERIOR BREATHABILITY
- HIGH-PERFORMANCE MOISTURE WICKING
- WARMTH WITHOUT THE WEIGHT
- •FLAT LOCK SEAMS FOR MAXIMUM COMFORT
- FITS UNDER A STANDARD HARDHAT



HO1FWCAP

ARC RATING: 20 CAL/CM MATERIAL: 9.6 0Z. FR POLARTEC® POWER GRID™ FLEECE COMPLIANCE: NFPA 70E, NFPA 2112,

CSA Z462, ASTM F1506, OSHA 1910.269

OTHER COLD WEATHER HEADGEAR

HNC2BK

DRIFIRE FR WINTER BEANIE NOMEX

H74FL10

DRIFIRE FR FLEECE HARD HAT LINER

HMOD2BK

DRIFIRE FR WINTER BEANIE



DRIFIRE FR HV TWILL DELUXE CLASS 2 VEST

- LIGHTWEIGHT AND BREATHABLE FABRIC
- DIELECTRIC ZIP FRONT CLOSURE
- CHEST TAB FOR CLIP MICS AND MONITORS
- EXTERIOR PHONE, TOOL AND PENCIL POCKETS
- FR 3M™ SCOTCHLITE™ TRIM

FEATURED TECHNOLOGY









V21TV2Z

ARC RATING: 8.9 CAL/CM² | CAT 2 MATERIAL: 6.5 OZ. WESTEX[®] DH ANSI/ISEA 107 TYPE R CLASS 2 COMPLIANCE: NFPA 70E, NFPA 2112, CSA Z462, ASTM F1506, OSHA 1910.269

OTHER HI VIS VEST OPTIONS

DRIFIRE FR HV CONTRACTOR VEST

VOOHA2V Drifire fr hv mesh vest

VNT99509

DRIFIRE FR ANTI-STAT HV MESH VEST







NSA was founded in the middle of the Great Depression out of the need to help American workers return home safely from an honest day's work. Through strategic acquisitions, we've expanded both our offerings and our innovations to become the largest manufacturer of American-made safety apparel. Whether you rely on Thermal PPE, Electrical Safety Gear, or Flame-Resistant Clothing to help you get home safe, we've got your back. You work in some of the most dangerous jobs around, and our job is focused on making yours safer and more comfortable.

We are more than a house of brands. We are NSA. America's Safety Choice



OWN EVERY MISSION



WWW.THINKNSA.COM | 0: 800.553.0672 | CUSTOMERSERVICE@THINKNSA.COM

